

1/ 12




Fig. 1




Fig. 2

09887144-06201

2/ 12




Fig. 3




Fig. 4




Fig. 5

0983144-05201

3/ 12




Fig. 6




Fig. 7

0987144-06201

4/ 12




Fig. 8




Fig. 9

09887144-06201




Fig. 10




Fig. 11

0987144-06201
 102290-44T/8860





Fig. 12

CH1 S_{11} SWR 500 m/ REF 1 4: 1.5116
 CH2 S_{21} log MAG 2dB/ REF -30 dB 4: -26.451 dB



Start 800.000 000 MHz Stopp 2 800.000 000 MHz

Fig. 13

09887444-062201

7/ 12




Fig. 14




Fig. 15

09887144-062201
T02290-44T/8360




Fig. 16




Fig. 17

09887144-062201




Fig. 18




Fig. 19

0987144-06201
T02290-11T/8860

10/ 12

CH1 S₁₁ SWR 500 m/ REF 1 1: 1.0578
CH2 S₂₁ log MAG 10dB/ REF -46 dB 1: -32.589 dB




Fig. 20

CH1 S₁₁ SWR 500 m/ REF 1 2 1.028
CH2 S₂₁ log MAG 10dB/ REF -46 dB 2: -41.628 dB




Fig. 21

1022290" 44728860

Fig. 22

Fig. 23

12/12




Fig. 24

0968744-062201